



Drivers & Screw Extraction

Apex Screwdriver Bits.....	478
Wiha Screwdriver Bits	480
PROTO® Bit Adapters.....	484
Ratchet Screwdriver Sets	485
Ratcheting Drivers	486
Wiha SoftFinish® Screwdrivers.....	488
Wiha Hex Bolster Screwdrivers	491
Specialist Drivers	491
PROTO® Screwdrivers	492
Wiha System 6 Reversible Blade System...	493
Wiha System 4 Reversible Blade System ...	494
Wiha PicoFinish® Screwdrivers	495
Screw Extractors & Sets	497

Apex Screwdriver Bits

Apex bits are renowned for their quality and used extensively in the aircraft maintenance industry. There is no doubt that Apex lead the market on bits, manufactured according to high US standards. Due to the enormous range, we have only catalogued some of the most popular lines, please enquire if you have not found what you are looking for.

APEX PHILLIPS® INSERT BITS 1/4"



Part No.	Tip	Drive	OAL (in)
440-1	PH1	25	
440-2	PH2	25	
440-3	PH3	25	

APEX PHILLIPS® ACR INSERT BITS 1/4"



Part No.	Tip	Type	OAL (in)
440-1-ACR1-R	PH1	Removal	25
440-1-ACR1-D	PH1	Driving	25
440-1-ACR1	PH1	Both	25
440-2-ACR2-R	PH2	Removal	25
440-2-ACR2-D	PH2	Driving	25
440-2-ACR2	PH2	Both	25
446-2-ACR2-D	PH2	Driving	25
440-22-ACR2-R	PH2	Removal	51
440-22-ACR2-D	PH2	Driving	51
440-22-ACR2	PH2	Both	51
440-3-ACR3-R	PH3	Removal	25
440-3-ACR3-D	PH3	Driving	25
440-3-ACR3	PH3	Both	25

APEX SLOTTED INSERT BITS 1/4"



Part No.	Tip	OAL (in)
445-1	3/16"	25
445-2	7/32"	25
445-3	1/4"	25

APEX TRI-WING® INSERT BITS 1/4"




Part No.	Tip	OAL (in)
TWD-0	0	25
TWD-1	1	25
TWD-2	2	25
TWD-3	3	25
TWD-4	4	25
TWD-5	5	25
TWD-6	6	25
TWD-7	7	25

APEX TORQ-SET® INSERT BITS 1/4"



Part No.	Tip	OAL (in)
212-0	0	25
212-1	1	25
212-2	2	25
212-3	3	25
212-4	4	25
212-5	5	25
212-6	6	25
212-8	8	25
212-10	10	25
212-1/4	1/4	25

APEX HI-TORQUE® BITS



Part No.	Tip	Bolt Nom Ø	Drive	OAL (in)
212-0	0	#0, #1, #2	1/4"	25
212-1	1	#3, #4, #5, #6	1/4"	25
212-2	2	#8	1/4"	25
212-3	3	#10	1/4"	25
212-4	4	1/4"	1/4"	25
212-5	5	1/4"	3/8"	32
212-6	6	5/16"	3/8"	32
212-8	8	3/8"	3/8"	32
212-10	10	7/16"	1/2"	41
212-1/4	1/4	1/2"	1/2"	41

APEX HI-TORQUE® PIZZA BITS



Part No.	Tip	Bolt Nom Ø	Drive	OAL (in)
HT3202M	2	#8	1/4"	32
HT3203M	3	#10	1/4"	35
HT3304M	4	1/4"	3/8"	68
HT3305M	5	5/16"	3/8"	70
HT3306M	6	3/8"	3/8"	80
HT3407M	7	7/16"	1/2"	82
HT3408M	8	1/2"	1/2"	84

APEX REPLACEMENT PIZZA WHEELS



Part No.	Tip	Ø
HTB2M	2	13
HTB3M	3	14
HTB4M	4	22
HTB5M	5	25
HTB6M	6	31
HTB7M	7	35
HTB8M	8	38

TRI-WING® is a registered trademark of Camcar Textron
HI-TORQUE® is the registered trademark of Textron Fasteners

APEX TORQ-SET® POWER DRIVE BITS 1/4"



Part No.	Tip	Drive	OAL (in)
170-0	0	1/4	1-1/4
170-1	1	1/4	1-1/4
170-2	2	1/4	1-1/4
170-3	3	1/4	1-1/4
170-4	4	1/4	1-1/4
170-5	5	1/4	1-1/4
170-6	6	1/4	1-1/4
170-8	8	1/4	1-1/4
170-10	10	1/4	1-1/4
170-1/2	1/2	1/4	1-1/4

APEX TORQ-SET® POWER DRIVE BITS 1/4"



Part No.	Tip	Drive	OAL (in)
273-0	0	1/4	1-15/16
273-1	1	1/4	1-15/16
273-2	2	1/4	1-15/16
273-3	3	1/4	1-15/16
273-4	4	1/4	1-15/16
273-5	5	1/4	1-15/16
273-6	6	1/4	1-15/16
273-8	8	1/4	1-15/16
273-10	10	1/4	1-15/16

APEX MORTORQ® INSERT BITS




Part No.	Tip	Drive	OAL (in)
440-MT-00	00	1/4	1
440-MT-0	0	1/4	1
440-MT-1	1	1/4	1
440-MT-2	2	1/4	1
440-MT-3	3	5/16	1-1/4

APEX TORQ-SET® POWER DRIVE BITS 7/16"



Part No.	Tip	Drive	OAL (in)
265-1/4	1/4	7/16	3-1/2
265-5/16	5/16	7/16	3-1/2

APEX TORQ-SET® POWER DRIVE BITS 7/16"



Part No.	Tip	Drive	OAL (in)
265A-1/4	1/4	7/16	6
265A-5/16	5/16	7/16	6
265A-7/16	7/16	7/16	6

APEX TORQ-SET® POWER DRIVE BITS 1/4" ACR



Part No.	Tip	Drive	OAL (in)
170-6-ACR	6	1/4	1-1/4
170-8-ACR	8	1/4	1-1/4
170-10-ACR	10	1/4	1-1/4

APEX TORQ-SET® POWER DRIVE BITS 1/4" ACR



Part No.	Tip	Drive	OAL (in)
170-1/4B	1/4	1/4	1-1/4
170-5/16B	5/16	1/4	1-1/4
170-3/8B	3/8	1/4	1-1/4

APEX TORQ-SET® INSERT BITS 5/16"



Part No.	Tip	Drive	OAL (in)
212-8A	8	5/16	1-1/4
212-10A	10	5/16	1-1/4
212-1/4A	1/4	5/16	1-1/4
212-5/16A	5/16	5/16	1-1/4
212-3/8A	3/8	5/16	1-1/4

APEX TORQ-SET® POWER DRIVE BITS 5/16"



Part No.	Tip	Drive	OAL (in)
170-8A	8	5/16	1-1/4
170-10A	10	5/16	1-1/4
170-1/4A	1/4	5/16	1-1/4
170-5/16A	5/16	5/16	1-1/4
170-3/8A	3/8	5/16	1-1/4

APEX TORQ-SET® POWER DRIVE BITS 7/16"



Part No.	Tip	Drive	OAL (in)
170-1/4	1/4	7/16	1-1/4
170-5/16	5/16	7/16	1-1/4
170-3/8	3/8	7/16	1-1/4
170-7/16	7/16	7/16	1-1/4

APEX TORQ-SET® POWER DRIVE BITS 7/16" ACR



Part No.	Tip	Drive	OAL (in)
170-1/4-ACR	1/4	7/16	1-1/4
170-5/16-ACR	5/16	7/16	1-1/4
170-3/8-ACR	3/8	7/16	1-1/4

Wiha Screwdriver Bits

Impressive quality / versatile range



Optimum cost/performance ratio is attributed to the process-controlled heat treatment, guaranteeing uniform product quality.

Wiha Standard Bits ideally meet high performance requirements in terms of both quality and price

WIHA PHILLIPS® INSERT BITS





Part No.	Symbol	Length
7011Z025	PH0	25
7011Z125	PH1	25
7011Z225	PH2	25
7011Z325	PH3	25

WIHA PHILLIPS® ACR INSERT BITS






Part No.	Symbol	Length
7011Z025	PH1	25
7011Z125	PH2	25
7011Z225	PH3	25

WIHA POZIDRIV INSERT BITS



Part No.	Symbol	Length
7012Z025	PZ0	25
7012Z125	PZ1	25
7012Z225	PZ2	25
7012Z325	PZ3	25

WIHA POZIDRIV ACR INSERT BITS



Part No.	Symbol	Length
7012A125	PZ1	25
7012A225	PZ2	25
7012A325	PZ3	25

WIHA SLOTTED INSERT BITS



Part No.	Symbol	Length	Width
7012A125	4.5	25	0.6
7012A225	5.5	25	0.8
7012A325	6.5	25	1.2
7010 Z8525	8.0	25	1.6

WIHA TORX® INSERT BITS



Part No.	Symbol	Length
7015005	T5	25
7015006	T6	25
7015007	T7	25
7015008	T8	25
7015009	T9	25
7015010	T10	25
7015015	T15	25
7015020	T20	25
7015025	T25	25
7015027	T27	25
7015030	T30	25
7015040	T40	25

WIHA SECURITY TORX® INSERT BITS



Part No.	Symbol	Length
7015TR007	T7H	25
7015TR008	T8H	25
7015TR009	T9H	25
7015TR010	T10H	25
7015TR015	T15H	25
7015TR020	T20H	25
7015TR025	T25H	25
7015TR027	T27H	25
7015TR030	T30H	25
7015TR040	T40H	25

WIHA TORX® PLUS IP INSERT BITS



Part No.	Symbol	Length
7016 4IP	T4	25
7016 5IP	T5	25
7017 6IP	T6	25
7016 7IP	T7	25
7016 8IP	T8	25
7016 9IP	T9	25
7016 10IP	T10	25
7016 15IP	T15	25
7016 20IP	T20	25
7016 25IP	T25	25
7016 27IP	T27	25
7016 30IP	T30	25
7016 40IP	T40	25

WIHA HEX INSERT BITS



Part No.	Symbol	Length
701315	1.5	25
701320	2.0	25
701325	2.5	25
701330	3.0	25
701340	4.0	25
701350	5.0	25
701360	6.0	25
701380	8.0	25

WIHA TRI-WING® INSERT BITS



Part No.	Symbol	Length
7019TW0	0	25
7019TW1	1	25
7019TW2	2	25
7019TW3	3	25
7019TW4	4	25
7019TW5	5	25

WIHA TORQ-SET® INSERT BITS



Part No.	Symbol	Length
7019TS0	0	25
7019TS1	1	25
7019TS2	2	25
7019TS3	3	25
7019TS4	4	25
7019TS5	5	25
7019TS6	6	25
7019TS8	8	25
7019TS10	10	25
7019TS1/4	1/4	32

WIHA SLOTTED POWERDRIVE BITS



Part No.	Symbol	Length	Width
7040030	3.0	50	0.5
7040035	3.5	50	0.6
7040040	4.0	50	0.5
7040045	4.5	50	0.6
7040055	5.5	50	0.8
7040065	6.5	50	1.2
7040080	8.0	50	1.2

WIHA PHILLIPS® POWERDRIVE BITS



Part No.	Symbol	Length
7041150	PH1	50
7041250	PH2	50
7041350	PH3	50

WIHA PHILLIPS® POWERDRIVE BITS



Part No.	Symbol	Length
7041170	PH1	70
7041190	PH1	90
7041127	PH1	127
7041150	PH1	150
7041270	PH2	70
7041290	PH2	90
70412127	PH2	127
70412150	PH2	150
7041370	PH3	70
7041390	PH3	90

WIHA POZIDRIV POWERDRIVE BITS

Part No.	Symbol	Length
7042150	PZ1	50
7042250	PZ2	50
7042350	PZ3	50

WIHA POZIDRIV POWERDRIVE BITS

Part No.	Symbol	Length
7042170	PZ1	70
7042190	PZ1	90
7042127	PZ1	127
70421150	PZ1	150
7042270	PZ2	70
7042290	PZ2	90
70422127	PZ2	127
70422150	PZ2	150
7042370	PZ3	70
7042390	PZ3	90

TRI-WING® is a registered trademark of Camcar Textron

WIHA HEX POWERDRIVE BITS



Part No.	Length	Width
7043Z15	1.5	50
7043Z20	2.0	50
7043Z25	2.5	50
7043Z30	3.0	50
7043Z40	4.0	50
7043Z50	5.0	50
7043Z60	6.0	50
7043Z80	8.0	50

WIHA TORX® POWERDRIVE BITS



Part No.	Size	Length
7045T05	T5	50
7045T06	T6	50
7045T07	T7	50
7045T08	T8	50
7045T09	T9	50
7045T10	T10	50
7045T15	T15	50
7045T20	T20	50
7045T25	T25	50
7045T27	T27	50
7045T30	T30	50
7045T40	T40	50

WIHA SECURITY TORX® POWERDRIVE BITS



Part No.	Size	Length
7045TR07	T7H	50
7045TR08	T8H	50
7045TR09	T9H	50
7045TR10	T10H	50
7045TR15	T15H	50
7045TR20	T20H	50
7045TR25	T25H	50
7045TR30	T30H	50
7045TR35	T35H	50
7045TR40	T40H	50

WIHA TRI-WING® POWERDRIVE BITS



Part No.	Length	Width
7049TW3	3	50
7049TW4	4	50
7049TW5	5	50
7049TW6	6	50

WIHA 31 PIECE 1/4" BIT SET STANDARD 25MM

- Housing: Practical, rugged plastic box.
- Bits: 25 mm Standard bits.
- Bit holder: Universal holder, magnetic.

Contents:

- 7010 Z 1 x 4.5
- 1 x 5.5
- 1 x 6.5
- 7011 Z 2 x PH1
- 6 x PH2
- 1 x PH3
- 7012 Z 2 x PZ1
- 6 x PZ2
- 1 x PZ3
- 7013 4.0
- 5.0
- 6.0
- 7015 T10
- T15
- T20
- T25
- T30
- T40



41922 Bit holder magnetic extra strong magnet, 60 mm

Part No.	Description
7979-01	31 Piece 1/4" Bit Set Standard 25mm

WIHA UNIVERSAL BIT HOLDERS



Part No.	Style	Length
7113S	Universal Bit Holder with Magnet	60
7140	Universal Bit Holder with Retaining Ring	60

WIHA BIT SOCKETS WITH RETAINING RING



Part No.	Size	Length	Width
720114	1/4	1/4	25
720138	1/4	3/8	30
720112	1/4	1/2	35

1/4" HEX-SQUARE DRIVE ADAPTERS



Part No.	Length	Width	Width
724014050	1/4	1/4	50
724038	3/8	1/4	50

WIHA TORQ-SET® POWERDRIVE BITS



Part No.	Length	Width
7049 TS4	4	50
7049 TS5	5	50
7049 TS6	6	50
7049 TS8	8	50
7049 TS10	10	50

WIHA BIT HOLDERS 1/4" – MAGNETIC



Part No.	Length	Width	Width
38414125	1/4	125	225
38414300	1/4	300	400

WIHA DRIVERS FOR HEX NUTS – FLEXIBLE SHAFT



Part No.	Length	Width	Width
372050	5	50	261
372055	5.5	150	261
372060	6	150	261
372070	7	150	268
372080	8	150	268
372100	10	175	293
372130	13	175	293
38614	1/4	150	268

WIHA BIT HOLDER SETS WITH BITS

- The alternative to a screwdriver set.
- Eight drive shapes in one screwdriver.
- High grade chrome-vanadium steel, through hardened
- Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection
- Stainless steel bit holder with strong magnet
- Suitable for DIN 3126, ISO 1173, style D 6.3
- 5 mm Standard bits



Part No.	Length	Drive	Bit	Bit
3809-8-STD	6.5	PH1, PH2, PH3	T15, T20, T25	PZ2
3809-8-Torx®	-	-	T6, T8, T10, T15, T20, T25, T30, T40	-
3809-8-PPS	5.5, 6.5	PH1, 3x PH2, 2x PH3	-	-

WIHA NUTDRIVER POWERBITS



Part No.	Length	Width
704450	5.0	55
704455	5.5	55
704460	6.0	55
704470	7.0	55
704480	8.0	55
704410	10.0	55
704413	13.0	55
7044140	1/4	55
7044516	5/16	55
7044380	3/8	55

WIHA NUTDRIVER BITS WITH MAGNETS



Part No.	Length	Width
7044M50	5.0	55
7044M55	5.5	55
7044M60	6.0	55
7044M70	7.0	55
7044M80	8.0	55
7044M10	10.0	55
7044M13	13.0	55
7044M140	1/4	55
7044M516	5/16	55
7044M380	3/8	55

WIHA STUBBY BIT-HOLDING DRIVERS



Part No.	Drive	Length	Width	Width
DST-06	PH1	4.5	15	41 1/4"
DST-07	PH2	6.0	16	42 1/4"

WIHA STUBBY BIT HOLDER SETS WITH BITS



Part No.	Length	Drive	Bit	Bit
3801-6-STD	4.5, 6.5, 8.0mm	PH1, PH2, PH3	-	-
3801-6-Torx®	-	-	T10, T15, T20, T25, T30, T40	-
3801-6-PPS	4.5, 6.5, 8.0mm	-	-	PZ1, PZ2, PZ3

PROTO® Bit Adapters

PROTO® EXTENSIONS – SQUARE TIPS, BALL DETENT.

- Made of forged steel.
- Size stamped on tool for easy identification.
- Not for use on impact applications.



Part No.	Drive Size (in)	Male Square	Style	OAL (in) (L)	Weight (lbs)
J7111	7/16 Hex	3/8	Pin	2-3/4	0.14
J7121	7/16 Hex	1/2	Pin	2-3/4	0.17

PROTO® EXTENSIONS SQUARE TIP

- Made of forged steel.
- Size stamped on tool for easy identification.
- Ball detent.



Part No.	Drive Size (in)	Male Square	Style	OAL (in) (L)	Weight (lbs)
J61302	1/4 Hex	1/4	Pin	2	0.04
J61304	1/4 Hex	1/4	Pin	4	0.08
J61306	1/4 Hex	1/4	Pin	6	0.12
J61352	1/4 Hex	1/4	Ball	2	0.04
J61402	1/4 Hex	3/8	Pin	2	0.05
J61404	1/4 Hex	3/8	Pin	4	0.13
J61406	1/4 Hex	3/8	Pin	6	0.13
J61502	7/16 Hex	3/8	Ball	2	0.05

PROTO® MAGNETIC BIT HOLDERS



Part No.	Drive	OAL (in)	Weight (lbs)
J61222	1/4	2-1/4	0.07
J61223	1/4	2-31/32	0.08
J61234	1/4	2-1/4	0.05
J61238	1/4	3	0.10
J61224	1/4	4	0.12
J61226	1/4	6	0.20

PROTO® BIT HOLDERS

Not for use on impact applications.



Part No.	Drive	OAL (in)	Weight (lbs)
J61200	1/4	2-1/4	0.04

PROTO® 3 PIECE NUT SETTER SET 1/4" HEX SHANK

- TorquePlus™ features apply.
- Magnets feature enhanced holding power to help improve fastener retention, helping to increase productivity.
- Distinctive gold finish.
- Contents: 1/4, 5/16, 3/8 inch



Part No.	Description	Weight (lbs)
J61909HS	3 Piece Nut Setter Set 1/4" Hex Shank	0.21

PROTO® POWER BIT HOLDER

Not for use on impact applications.



Part No.	Drive	Hex	OAL (in)	Weight (lbs)
J6925	1/4	1/4	1	0.04
J6931	3/8	1/4	1-3/4	0.07
J6930	3/8	5/16	1-5/16	0.07
J6935	1/2	5/16	1-1/2	0.11

PROTO® 38 PIECE INSERT/POWER BIT SET

- Magnetic base provides tool organization as well as portability.
- Strong magnetic bond allows for superior holding strength.
- Holder allows bits to remain organized in a tool box drawer as well as on any metal surface.
- Mixed assortment of standard, slotted, Phillips®, and Torx® tips and clutches to help in a variety of tasks.

Contents:

- Phillips 1/4" Insert Bits: #0, #1, #2, #3, #2 (Reduced Dia.)
- Pozidriv 1/4" Insert Bits: #1, #2
- Slotted 1/4" Insert Bits: 4F-5R, 6F-8R, 8F-10R, 10F-12R, 12F-14R, 14F-16R
- Torx® Insert Bits: T6, T7, T8, T9, T10, T15, T20, T25, T30, T40
- Socket Heads: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16 inch
- Square Recess: #0, #1, #2, #3
- Clutch Insert Bits: 1/8, 5/32, 3/16 inch
- Bit Holder Magnetic
- Bit Holder Power



Part No.	Description	Weight (lbs)
J61906	38 Piece Insert/Power Bit Set	1.21

Ratchet Screwdriver Sets

HENCHMAN MEGAPRO 1/4" DRIVE RATCHETING SCREWDRIVER

- 28 tooth ratchet
- 303 stainless steel shaft
- 12 insert bits

Contents:


- 1/4 inch hex Driver
- Phillips® Insert Bits: PH1, PH2, PH3
- Square Insert Bit: 2
- Slotted Insert Bits: 4mm, 6mm
- Torx® Insert Bits: T10, T15, T20, T25, T27, T30



Part No.	Description	Weight (g)
211R1C36RD	5 Piece Magnetic Ratcheting Screwdriver with Bits Set	295

STAHLWILLE 1/4" DRIVE HANDLE – RATCHETING BIT HOLDER 4008


- easy change of direction (anticlockwise, clockwise and fixed) by simply twisting the locking ring
- ergonomically designed, non-slip 2-component handle for optimum force transmission
- storage compartment for 6 bits in the handle; push button to open (size 1)
- for bit screwdriver inserts with external hex 1/4" DIN 3126/ISO 1173 Type C 6.3
- 1/4" sockets can be used with adaptor No 3115/1 (external hex and square drive 1/4")
- easy bit change thanks to internal hex. drive with magnet
- knurled spin section for faster screw advance
- heavy-duty mechanism with 48 teeth (7.5° working angle)



Part No.	Drive Size	Size	Dia. (D)	Shaft Length (L1) (mm)	OAL (L2) (mm)	Depth (d) (mm)	Weight (g)
18120001	1/4	1	D 6.3	127	250	10	220

STAHLWILLE 1/4" DRIVE HANDLE – RATCHETING BIT HOLDER 4008

- easy change of direction (anticlockwise, clockwise and fixed) by simply twisting the locking ring
- ergonomically designed, non-slip 2-component handle for optimum force transmission
- storage compartment for 6 bits in the handle; push button to open (size 1)
- for bit screwdriver inserts with external hex 1/4" DIN 3126/ISO 1173 Type C 6.3
- 1/4" sockets can be used with adaptor No 3115/1 (external hex and square drive 1/4")
- easy bit change thanks to internal hex. drive with magnet
- knurled spin section for faster screw advance
- heavy-duty mechanism with 48 teeth (7.5° working angle)



Part No.	Drive Size	Size	Dia. (D)	Shaft Length (L1) (mm)	OAL (L2) (mm)	Depth (d) (mm)	Weight (g)
18120002	1/4	2	D 6.3	25	95	10	137

PROTO® 28 PIECE 1/4" DRIVE MAGNETIC SCREWDRIVER BIT SET

- Packaged in plastic blow-molded case for easy storage.

Contents:

- Phillips® Insert Bits: 0, 1, 2, 3
- Slotted Insert Bits: 3F-4R, 4F-5R
- Slotted Insert Bits: 7/32, 5/32, 9/32 inch
- Torx® Insert Bits: T10, T15, T20, T25, T30, T40
- Square Recess Insert Bits: 0, 1, 2, 3
- Socket Heads: 5/64, 3/32, 1/8, 5/32, 3/16 inch
- Clutches: 1/8, 5/32 inch
- Magnetic Bit Holder



Part No.	Description	Weight (lbs)
J61929	28 Piece 1/4" Drive Magnetic Screwdriver Bit Set	1.07

Ratcheting Drivers



Access
Interchangeable shafts allow access to nearly any fastener

Productivity
8° ratcheting mechanism Ratcheting or non-ratcheting mode

Design
Dual durometer ergonomic shape handle helps reduce fatigue and improve grip and high torque

Design
Removable end cap allows for convenient storage for up to 12 bits

GEARDRIVER™ RATCHETING HANDLES



Part No.	Description	OAL (mm)
GW 890001	Standard GearDriver™ Handle	-
GW 890005	Stubby GearDriver™ Handle	-
GW 890006	GearDriver™ T-Handle	-

GEARDRIVER™ MAGNETIC BIT SHAFT

Part No.	Description	OAL (mm)
GW 310901	Magnetic Bit Shaft	90
GW 310902	Magnetic Bit Shaft	150
GW 310903	Magnetic Bit Shaft	250

GEARDRIVER™ 1/4" DRIVE SOCKET SHAFT

Part No.	Description	OAL (mm)
GW 311901	1/4" Dr. Skt. Shaft	90
GW 311902	1/4" Dr. Skt. Shaft	150
GW 311904	1/4" Dr. Skt. Shaft	250

GEARDRIVER™ FLEXIBLE SHAFTS (BITS OR SOCKETS)

The 2 long versions are extremely flexible, up to 180°

Part No.	Description	OAL (mm)
GW 890008	180° Flex Shaft for Bits*	275
GW 890009	180° Flex Shaft for 1/4" Dr Sockets*	275
GW 311903	Flex Shaft for 1/4" Dr Sockets	150

GEARDRIVER™ 39 PIECE RATCHETING SCREWDRIVER SET

- 1 x GearDriver™ Handle
- 3 x Magnetic Bit Driver Shafts: 3-1/2", 6" & 10"
- 3 x 1/4" Dr. Socket Shafts: 3-1/2", 6" & 10"
- 1 x Flexible Shaft - 6" 1/4" socket to bit Adapter
- 30 x Drive Bits



Part No.	Description
GW 8939	39 Piece Ratcheting Driver Set

GEARDRIVER™ 3 PIECE STUBBY RATCHETING SCREWDRIVER SET

- GW 890005 Stubby GearDriver™ Handle
- GW 310901 GearDriver™ Magnetic Bit Shaft 3-1/2"
- 7011 ACR PH 2 x 25 Wiha Bit



Part No.	Description
GW 890091	3 Piece Stubby Ratcheting Screwdriver Set

GEARDRIVER™ 4 PIECE STANDARD RATCHETING SCREWDRIVER SET

- GW 890001 GearDriver™ Handle (Removable Cap for storage of bits)
- GW 310902 GearDriver™ Magnetic Bit Shaft 6"
- 7011 ACR PH 2 x 25 Wiha Bit
- 7010 Z Slotted 6.5 x 25 Wiha Bit



Part No.	Description
GW 890092	4 Piece Standard Ratcheting Screwdriver Set

GEARDRIVER™ 3 PIECE FLEX SHAFT RATCHETING SCREWDRIVER SET

- GW 890001 GearDriver™ Handle (Removable Cap for storage of bits)
- GW 311903 GearDriver™ 1/4" Dr. Skt. Flex Shaft 6"
- GW 890002 1/4" Dr Bit Adapter



Part No.	Description
GW 890093	3 Piece Flex Shaft Ratcheting Screwdriver Set

GEARDRIVER™ 3 PIECE T-HANDLE SHORT RATCHETING SCREWDRIVER SET

- GW 890006 GearDriver™ T-Handle
- GW 310901 GearDriver™ Magnetic Bit Shaft 3-1/2"
- 7011 ACR PH 2 x 25 Wiha Bit



Part No.	Description
GW 896091	3 Piece T-Handle Ratcheting Screwdriver Set

GEARDRIVER™ 3 PIECE T-HANDLE LONG RATCHETING SCREWDRIVER SET

- GW 890006 GearDriver™ T-Handle
- GW 310902 GearDriver™ Magnetic Bit Shaft 6"
- 7011 ACR PH 2 x 25 Wiha bit



Part No.	Description
GW 896092	3 Piece T-Handle Long Ratcheting Screwdriver Set

HENCHMAN 52 TOOTH 1/4" REVERSIBLE BIT RATCHET

- Excellent for working in tight spaces
- Only 93mm long it fits in the palm of your hand
- Possibility of lengthening the handle by using an insert bit in the magnetic holder inside the base handle to gain greater torque (max 10Nm)
- Quick-disk on the drive head allows for quick tightening or loosening of fasteners when ratcheting is not required
- 1/4" magnetic bit holder



Part No.	Description
H66-958	52 Tooth 1/4" Reversible Bit Ratchet

HENCHMAN MINIATURE BIT RATCHET 25° OFFSET

- Ideal for confined work areas
- Miniature ratchet with 25° offset head for use with 1/4" hex bits
- 72-tooth ratchet mechanism allowing 5° rotational movement between teeth
- Incorporates a magnetic bit holder
- Fingertip adjustment by means of knurled thumbscrew
- Reverse lever for one-handed operation
- Vinyl grip provides a comfort grip



Part No.	Description
H66-940	Miniature Bit Ratchet 25° Offset

HENCHMAN MINIATURE BITS RATCHET STRAIGHT

- Ideal for confined work areas
- Miniature ratchet, straight version for use with 1/4" hex bits
- 72-tooth ratchet mechanism allowing 5° rotational movement between teeth
- Incorporates a magnetic bit holder
- Fingertip adjustment by means of knurled thumbscrew
- Reverse lever for one-handed operation
- Vinyl grip provides a comfort grip



Part No.	Description
H66-936	Miniature Bits Ratchet Straight

GEARDRIVER™ RATCHET FOR 1/4" BITS

With fine ratcheting mechanism



Part No.	Description
F26BR	Ratchet for 1/4" Bits

HENCHMAN 1/4 & 5/16 REVERSIBLE BIT RATCHET

- Smallest, lowest profile head in the industry
- Quick-disk on the drive head allows for quick tightening or loosening of fasteners when ratcheting is not required
- 1/4" Socket drive adapter easily converts this bit ratchet into a 1/4" socket driver
- 1/4" Reversible 52-Tooth Ratcheting
- 5/16" Reversible 64-Tooth Ratcheting
- 1/4" Ratchet 30Nm
- 5/16" Ratchet 40Nm
- Polished Chrome Finish



Part No.	Description
H66-964	1/4 & 5/16 Reversible Bit Ratchet

HENCHMAN MINIATURE BIT RATCHET 25° REVERSE OFFSET

- Ideal for confined work areas
- Miniature ratchet with 25° reverse offset head for use with 1/4" hex bits
- 72-tooth ratchet mechanism allowing 5° rotational movement between teeth
- Incorporates a magnetic bit holder
- Fingertip adjustment by means of knurled thumbscrew
- Reverse lever for one-handed operation
- Vinyl grip provides a comfort grip



Part No.	Description
H66-938	Miniature Bit Ratchet 25° Reverse Offset

1/4" SQUARE DRIVE FINGER DISC RATCHET

- ABS finger grip disc ratchet with 72 teeth
- Left/Right direction switch.



Part No.	Description	Diameter
H66-968	1/4" Square Drive Finger Disc Ratchet	50 mm

Wiha SoftFinish® Screwdrivers

- The Wiha SoftFinish® zone features a solid moulded core with soft outer grip. This requires less force, yet achieves 40% more torque than conventional handles.
- The handle is shaped to fit comfortably in the hand, providing maximum torque forces in dry and general working conditions.



WIHA SLOTTED SCREWDRIVERS



Part No.	⌀	→	⌀	→	→
302020	2.0	65	0.4	2.0	169
302025	2.5	75	0.4	2.5	179
302030	3.0	80	0.5	3.0	184
302030100	3.0	100	0.5	3.0	204
302030150	3.0	150	0.5	3.0	254
302030200	3.0	200	0.5	3.0	304
302035	3.5	100	0.6	3.5	204
302035200	3.5	200	0.5	3.5	304
302040	4.0	100	0.8	4.0	211
302040150	4.0	150	0.8	4.0	261
302040200	4.0	200	0.8	4.0	311
302040300	4.0	300	0.8	4.0	411
302045080	4.5	80	0.8	4.5	191
302045	4.5	125	0.8	4.5	236
302055	5.5	125	1.0	5.5	236
302055150	5.5	150	1.0	5.5	261
302055200	5.5	200	1.0	5.5	311
302055300	5.5	300	1.0	5.5	411
302060100	6.0	100	1.2	6.0	218
302060150	6.0	150	1.2	6.0	268
302065100	6.5	100	1.2	6.0	218
302065150	6.5	150	1.2	6.0	268
302065200	6.5	200	1.2	6.0	318
302080150	8.0	150	1.2	7.0	274
302080	8.0	175	1.2	7.0	299
302100	10.0	200	1.6	8.0	324
302120	12.0	250	2.0	8.0	374
302140	14.0	250	2.5	11.0	374

WIHA STUBBY SLOTTED SCREWDRIVERS



Part No.	⌀	→	⌀	→	→
302040025	4.0	25	0.8	4.0	81
302055025	5.5	25	1.0	5.5	81
302065025	6.5	25	1.2	6.5	81
302080025	8.0	25	1.2	8.0	81

WIHA PHILLIPS® SCREWDRIVERS



Part No.	⊕	→	⌀	→	→
3110060	PH0	60	3.0	164	23
3110100	PH0	100	3.0	204	23
3111080	PH1	80	4.5	191	30
3111100	PH1	100	4.5	211	30
3111200	PH1	200	4.5	311	30
3111300	PH1	300	4.5	411	30
3112100	PH2	100	6.0	218	36
3112150	PH2	150	6.0	268	36
3112200	PH2	200	6.0	318	36
3112300	PH2	300	6.0	418	36
3113150	PH3	150	8.0	274	41
3114200	PH4	200	10.0	324	41

WIHA STUBBY PHILLIPS® SCREWDRIVERS



Part No.	⊕	→	⌀	→	→
3111025	PH1	25	4.5	81	34
3112025	PH2	25	6.0	81	34
3113025	PH3	25	8.0	81	34

WIHA POZIDRIV SCREWDRIVERS



Part No.	⊕	→	⌀	→
3130060	PZ0	60	3.0	164
3131080	PZ1	80	4.5	191
3131300	PZ1	300	4.5	411
3132100	PZ2	100	6.0	218
3132300	PZ2	300	6.0	418
3133150	PZ3	150	8.0	274

WIHA STUBBY POZIDRIV SCREWDRIVERS



Part No.	⊕	→	⌀	→
3131025	PZ1	25	4.5	81
3132025	PZ2	25	6.0	81
3133025	PZ3	25	8.0	81

WIHA TORX® SCREWDRIVERS



Part No.	⊕	→	⌀	→
362 T3	T3	60	2.5	164
362 T4	T4	60	2.5	164
362 T5	T5	60	2.5	164
362 T6	T6	60	3.5	164
362 T7	T7	60	3.5	164
362 T8	T8	60	3.5	164
362 T9	T9	60	4.0	171
362 T10	T10	80	4.0	191
362 T15	T15	80	4.0	191
362 T20	T20	100	4.0	211
362 T25	T25	100	4.5	211
362 T27	T27	115	5.5	233
362 T30	T30	115	6.0	233
362 T40	T40	130	7.0	254
362 T45	T45	130	8.0	254

WIHA SECURITY TORX® SCREWDRIVERS



Part No.	⊕	→	⌀	→
362 TR07	T7H	60	3.5	164
362 TR08	T8H	60	3.5	164
362 TR09	T9H	60	4.0	171
362 TR10	T10H	80	4.0	191
362 TR15	T15H	80	4.0	191
362 TR20	T20H	100	4.0	211
362 TR25	T25H	100	4.5	211
362 TR27	T27H	115	5.5	233
362 TR30	T30H	115	6.0	233
362 TR40	T40H	130	7.0	254

WIHA NUTDRIVERS



Part No.	⊙	→	→
341040	4	125	236
341050	5	125	236
341055	5.5	125	236
341060	6	125	236
341070	7	125	243
341080	8	125	243
341090	9	125	243
341100	10	125	243
341110	11	125	243
341120	12	125	249
341130	13	125	249
341140	14	125	249
341150	15	125	249
341160	16	125	249
341170	17	125	249
347316	3/16	125	231
347140	1/4	125	238
347516	5/16	125	238
347380	3/8	125	238
347716	7/16	125	246
347120	1/2	125	246

WIHA NUTDRIVERS – MAGNETIC



Part No.	⊙	→	→
341MAG55	5.5	125	236
341MAG55-10	5.5	250	367
341MAG70	7.0	125	243

WIHA FOR HEX NUTS – FLEXIBLE SHAFT



Part No.	⊙	→	→
372050	5	50	261
372055	5.5	150	261
372060	6	150	261
372070	7	150	268
372080	8	150	268
372100	10	175	293
372130	13	175	293
38614	1/4	150	268

WIHA BIT HOLDER 1/4" – MAGNETIC



Part No.	⊙	→	→
38414125	1/4	125	225
38414300	1/4	300	400

Phillips® is a trademark of Phillips® Screw Company

Torx® is a trademark of Acument Intellectual Properties, LLC

WIHA DRIVER FOR HEX SCREWS



Part No.	Ø	L	W
356025	2.5	75	179
356030	3	75	179
356040	4	75	186
356050	5	75	186
356060	6	100	218
356080	8	100	218

WIHA DRIVER FOR HEX SCREWS – BALL POINT



Part No.	Ø	L	W
36701501	1.5	75	179
36702001	2	100	204
36702501	2.5	100	204
36703001	3	100	204
36704001	4	100	211
36705001	5	100	211
36706001	6	125	243
36708001	8	150	268
36710001	10	150	271
36712001	12	150	271

WIHA SLOTTED SCREW-HOLDING DRIVERS



Part No.	Ø	L	W	W
398-25	2.5	75	186	30
398-30	3.0	100	211	30
398-40	4.0	125	243	36
398-50	5.0	150	268	36
398-60	6.0	175	293	36

WIHA PHILLIPS® SCREW-HOLDING DRIVERS



Part No.	Ø	L	W	W
397-0	PH0	100	211	30
397-1	PH1	125	236	36
397-2	PH2	175	286	36

WIHA 6 PIECE SLOTTED & PHILLIPS® SCREWDRIVER SET



Part No.	Description
302	3.5 x 100
	4.5 x 125
	5.5 x 150
	6.5 x 150
311	PH1 x 80
	PH2 x 100

WIHA 6 PIECE TORX® SCREWDRIVER SET



Part No.	Description
362	T10 x 80
	T15 x 80
	T20 x 100
	T25 x 100
	T30 x 115
	T40 x 130

WIHA 5 PIECE NUTDRIVER SET



Part No.	Description
341	5.5 x 125
	7 x 125
	8 x 125
	10 x 125
	13 x 125

WIHA 6 PIECE SLOTTED & PHILLIPS® SLIMLINE SCREWDRIVER SET – INSULATED



Part No.	Description
320N	3.0 x 100
	4.0 x 100
	5.5 x 125
	6.5 x 150
321N	PH1 x 80
	PH2 x 100

Torx® is a trademark of Acument Intellectual Properties, LLC
Phillips® is a trademark of Phillips® Screw Company

Wiha Hex Bolster Screwdrivers

- The Wiha SoftFinish® zone features a solid moulded core with soft outer grip. In the hand, providing maximum torque forces. This requires less force, yet achieves 40% more torque than conventional handles.
- The Hex bolster shank allows for a wrench to be applied and is stronger shank than the round series.
- Also available with a solid steel cap and hex blade extending through the handle.



WIHA SLOTTED HEX BOLSTER SCREWDRIVERS

Part No.	Ø	L	W	W	W
308065	6.5	125	1.2	6.0	238
30808150	8.0	150	1.2	8.0	268
308090	9.0	150	1.4	8.0	268
30810175	10.0	175	1.6	8.0	293
308120	12.0	200	2.0	10.0	318
308140	14.0	250	2.5	10.0	368

WIHA SLOTTED STRIKEABLE SCREWDRIVERS

Part No.	Ø	L	W	W	W
530065	6.5	125	1.2	6.0	238
530080	8.0	150	1.2	8.0	268
530100	10.0	175	1.6	8.0	296
530120	12.0	200	2.0	10.0	321
530120	14.0	250	2.5	10.0	371

Specialist Drivers

STAHLWILLE OFFSET SLOTTED SCREWDRIVERS

Part No.	End A	End B
73273001	0.6	3.5
73273002	0.8	4.0
73273003	1.0	5.5
73273004	1.2	8.0

CABIN LAVATORY SCREWDRIVER

Anti-tamper 1/4 turn screwdriver for toilets on Boeing 737 aircraft

Part No.	Description
29-90-114-10	Cabin Lavatory Screwdriver

Phillips® is a trademark of Phillips® Screw Company

STAHLWILLE OFFSET PHILLIPS SCREWDRIVERS

Part No.	End A	End B
73282001	PH1	PH2
73282002	PH3	PH4

WIHA MAGNETISER / DEMAGNETISER

Magnetises screwdriver tips quickly and effortlessly, so that screws and small parts can be mounted much more easily. Demagnetise the screwdriver again by pushing it through the steps several times until it is demagnetised. The tool's strong permanent magnet has an extremely long service life.



Part No.	Description
400 10	Magnetiser/Demagnetiser

PROTO® Screwdrivers

PROTO® 2 PIECE EXTRA-LONG COMBINATION SCREWDRIVERS

ASME B107.600

- Extra long series screwdrivers available loose or in set.



Part No.	Description	Tip	Length (mm)	Length (in)
JK1424R	Screwdriver, Slotted, 1/4 wide tip x 24" blade	6.35mm	600mm	24"
JP0224R	Screwdriver, Phillips 2 tip x 24" blade	Ph2	600mm	24"
J1202SCXL	2 Piece Extra-Long Combination Screwdriver Set			

PROTO® COMBINATION SCREW STARTER



Part No.	OAL (in)	Weight (lbs)
J9866	6-1/4	0.04

PROTO® SLOTTED SCREW STARTERS



Part No.	OAL (in)	Weight (lbs)
J9851	2-5/8	0.02
J9853	5-5/8	0.04
J9855	9-5/8	0.09

PROTO® PHILLIPS® SCREW STARTERS



Part No.	OAL (in)	Weight (lbs)
J9882	2-3/4	0.02
J9884	5-3/4	0.05
J9886	9-3/4	0.06

PROTO® 7 PIECE HOLLOW SHAFT NUT DRIVER SET

ASME B107.12

- Full hollow shaft design for maximum bolt clearance.
- One-piece shaft design for greater strength and durability.
- Ideal for electronics, assembly, and various industrial applications.
- Color coded handles for easy size identification.
- OAL: 6-11/16 inch

Contents:

- 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2 inch




Part No.	Description
J9200H	7 Piece Hollow Shaft Nut Driver Set

PROTO® TRADITIONAL NUT DRIVERS

ASME B107.12

- Full hollow shaft design for maximum bolt clearance (part numbers ending with "H").
- One-piece shaft design for greater strength and durability.
- Ideal for electronics, assembly, and industrial applications.
- Color coded handles for easy size identification.



Part No.	Size (in)	Size (mm)	OAL (in)	Weight (lbs)
J9206H	3/16	-	2-3/4	0.18
J9208H	1/4	-	2-3/4	0.18
J9210H	5/16	-	2-3/4	0.19
J9211H	11/32	-	2-3/4	0.22
J9212H	3/8	-	2-3/4	0.19
J9214H	7/16	-	2-3/4	0.27
J9216H	1/2	-	2-3/4	0.27
J9206	3/16	-	2-3/4	0.20
J9207	7/32	-	2-3/4	0.20
J9208	1/4	-	2-3/4	0.19
J9209	9/32	-	2-3/4	0.23
J9210	5/16	-	2-3/4	0.23
J9211	11/32	-	2-3/4	0.22
J9212	3/8	-	2-3/4	0.23
J9214	7/16	-	2-3/4	0.34

Part No.	Size (in)	Size (mm)	OAL (in)	Weight (lbs)
J9216	1/2	-	2-3/4	0.34
J9218	9/16	-	2-3/4	0.45
J9220	5/8	-	2-3/4	0.50
J9204M	-	4	2-7/8	0.19
J9205M	-	5	2-7/8	0.19
J92055M	-	5.5	2-7/8	0.19
J9206M	-	6	2-7/8	0.19
J9207M	-	7	2-7/8	0.22
J9208M	-	8	2-7/8	0.22
J9209M	-	9	2-7/8	0.24
J9210M	-	10	2-7/8	0.29
J9211M	-	11	2-7/8	0.36
J9212M	-	12	2-7/8	0.36
J9213M	-	13	2-7/8	0.43
J9214M	-	14	2-7/8	0.50

Phillips® is a trademark of Phillips® Screw Company

Wiha System 6 Reversible System

- The Wiha SYSTEM 6 and SYSTEM 4 reversible blade systems are high-quality, industrial quality products, made with state of the art materials and finished to the highest standard of workmanship.
- The 150mm long reversible blades are made of high quality chrome-vanadium-molybdenum steel, are through hardened and chrome plated.
- The various handles are especially ergonomically designed and guarantee optimal force transmission.
- The Wiha reversible blade systems provide the right tool for every application – ideal for industry, trade and the ambitious handyman

WIHA SYSTEM 6 HANDLES



Part No.	Description	Tip	Length (mm)	Length (in)
284SF	System 6 Handle	6.0	115	36
284ESD	ESD Safe Handle	6.0	115	36

WIHA SYSTEM 6 SLOTTED BLADES



Part No.	Tip	Length (mm)	Length (in)
27627	3.5	4.5	150
00629	4.0	6.0	150
00630	5.5	6.5	150

WIHA 6 PIECE SYSTEM 6 STARTER SET

- in rollup pouch

Contents:

- SL 3.5 x 4.5 x 150
- SL 4.0 x 6.0 x 150
- SL 5.5 x 6.5 x 150
- PH1 x PH2 x 150
- Hex 5.0 x 5.0



Part No.	Description
281T6	6 Piece System 6 Starter Set

WIHA 8 PIECE SYSTEM 6 NUTDRIVER SET

- in rollup pouch

Contents:

- 5.0, 5.5, 6.0, 7.0, 8.0, 10.0, 13.0 mm



Part No.	Description
U106T8	7 Piece System 6 Nutdriver Set

WIHA 12 PIECE SYSTEM 6 NUTDRIVER SET

- in rollup pouch

Contents:

- 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 13.0 mm



Part No.	Description
U106T12	12 Piece System 6 Nutdriver Set

WIHA SYSTEM 6 SLOTTED/PHILLIPS® BLADES



Part No.	Tip	Length (mm)	Length (in)
00665	4.0	PH1	150
00666	6.0	PH2	150
00667	6.5	PH3	150

WIHA SYSTEM 6 PHILLIPS® BLADES



Part No.	Tip	Tip	Length (mm)	Length (in)
00631	PH1	PH2	150	6.0
27628	PH2	PH3	150	6.0

WIHA SYSTEM 6 POZIDRIV BLADES



Part No.	Tip	Tip	Length (mm)	Length (in)
00632	PZ1	PZ2	150	6.0
27629	PZ2	PZ3	150	6.0

Phillips® is a trademark of Phillips® Screw Company

WIHA SYSTEM 6 BALL END HEX BLADES



Part No.	2.5	3	4	5	6
006358	2.5	3	4	5	6
006365	3	3	4	5	6
006372	4	4	5	6	6
006389	5	5	6	6	6
006396	6	6	6	6	6

Many more interchangeable blades and sets available to order, please enquire.

WIHA SYSTEM 6 TORX® BLADES



Part No.	T6	T7	T8	T9	T10	T15	T20	T25	T30	T40
006549	T6	T7	T8	T9	T10	T15	T20	T25	T30	T40
006556	T7	T8	T9	T9	T10	T15	T20	T25	T30	T40
006563	T10	T15	T15	T15	T15	T15	T20	T25	T30	T40
006570	T20	T25	T25	T25	T25	T25	T25	T25	T30	T40
006587	T30	T40	T40	T40	T40	T40	T40	T40	T40	T40

WIHA SYSTEM 6 BIT HOLDER BLADE



Part No.	1/4	150	6.0
03882	1/4	150	6.0

Wiha System 4 Reversible System

WIHA SYSTEM 4 HANDLE

System 4 Handle for telescopic, reversible blades (adjustable 18-90mm length)



Part No.	Description	4.0	105	23
2691	System 4 Handle	4.0	105	23

WIHA 6 PIECE SYSTEM 4 BLADE SET

- in rollup pouch
- Contents:
- SL 1.5 x 3.0
- SL 2.0 x 3.5
- SL 2.5 x 4.0
- PH000 x PH00
- PH0 x PH1



Part No.	Description
269T6	6 Piece System 4 Blade Set

WIHA 4 PIECE SYSTEM 4 BLADE SET

- in rollup pouch
- Contents:
- SL 2.0 x PH00
- SL 3.0 x PH0
- SL 4.0 x PH1



Part No.	Description
269T4	4 Piece System 4 Blade Set

WIHA 11 PIECE SYSTEM 4 BLADE SET

- in rollup pouch
- Contents:
- SL 1.5 x 3.0
- SL 2.0 x 3.5
- SL 2.5 x 4.0
- PH000 x PH00
- PH0 x PH1
- Hex 1.3, 1.5, 2.0, 2.5, 3.0, 8, 9, 10, 11, 13 mm



Part No.	Description
269T11	11 Piece System 4 Blade Set

Torx® is a trademark of Acument Intellectual Properties, LLC

Wiha PicoFinish® Screwdrivers

The challenge in precision screw fastenings is to work meticulously and carefully without damaging the work piece. Thanks to their long, slim handles and quick-turning zone, Wiha PicoFinish® fine screwdrivers are ideal for delicate and high-precision tasks in precision mechanics as well as for hobbyists and model building. Its ergonomic handle design with a soft zone makes it comfortable to use. The smooth-running rotating cap allows users to turn the screwdriver quickly and sensitively. The printed screwdriver symbols on the rotating cap make it easier to select the right screwdriver profile. The hexagonal ball end enables users to fasten and unfasten effortlessly at an angle of up to 25°. Chrome-vanadium-molybdenum steel, matt chrome-plated.



WIHA PICOFINISH® POZIDRIV SCREWDRIVERS



Part No.	PZ0	PZ1	50	60	3.0	4.0	150	160
262 P0	PZ0	PZ1	50	60	3.0	4.0	150	160
262 P1	PZ1	PZ1	60	60	4.0	4.0	160	160

WIHA PICOFINISH® SLOTTED SCREWDRIVERS



Part No.	0.8	1.0	1.2	1.5	1.8	2.0	2.5	2.5	3.0	3.0	3.0	3.5	4.0	4.0	4.0	4.0	
260P08040	0.8	1.0	1.2	1.5	1.8	2.0	2.5	2.5	3.0	3.0	3.0	3.5	4.0	4.0	4.0	4.0	
260P10040	1.0	40	40	40	40	40	50	100	50	100	150	60	60	100	150	150	
260P12040	1.2	40	40	40	40	40	50	100	50	100	150	60	60	100	150	150	
260P15040	1.5	40	40	40	40	40	50	100	50	100	150	60	60	100	150	150	
260P18040	1.8	40	40	40	40	40	50	100	50	100	150	60	60	100	150	150	
260P20040	2.0	40	40	40	40	40	50	100	50	100	150	60	60	100	150	150	
260P25050	2.5	50	50	50	50	50	50	100	50	100	150	60	60	100	150	150	
260P25100	2.5	100	100	100	100	100	100	100	100	100	100	60	60	100	150	150	
260P30050	3.0	50	50	50	50	50	50	100	50	100	150	60	60	100	150	150	
260P30100	3.0	100	100	100	100	100	100	100	100	100	100	60	60	100	150	150	
260P30150	3.0	150	150	150	150	150	150	150	150	150	150	60	60	100	150	150	
260P35060	3.5	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
260P40060	4.0	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
260P40100	4.0	100	100	100	100	100	100	100	100	100	100	60	60	60	60	60	60
260P40150	4.0	150	150	150	150	150	150	150	150	150	150	60	60	60	60	60	60

WIHA PICOFINISH® TORX® SCREWDRIVERS



Part No.	T3	T4	T5	T6	T7	T8	T9	T10	T15	T20
267P03	T3	T4	T5	T6	T7	T8	T9	T10	T15	T20
267P04	T4	40	40	40	40	40	40	40	40	40
267P05	T5	40	40	40	40	40	40	40	40	40
267P06	T6	40	40	40	40	40	40	40	40	40
267P07	T7	40	40	40	40	40	40	40	40	40
267P08	T8	40	40	40	40	40	40	40	40	40
267P09	T9	50	50	50	50	50	50	50	50	50
267P10	T10	50	50	50	50	50	50	50	50	50
267P15	T15	60	60	60	60	60	60	60	60	60
267P20	T20	60	60	60	60	60	60	60	60	60

WIHA PICOFINISH® HEX SCREWDRIVERS



Part No.	0.7	0.9	1.3	1.5	2.0	2.5	3.0	1/16	3/32	7/64	1/8
263P07	0.7	0.9	1.3	1.5	2.0	2.5	3.0	1/16	3/32	7/64	1/8
263P09	0.9	40	40	40	40	40	40	40	40	40	40
263P13	1.3	40	40	40	40	40	40	40	40	40	40
263P15	1.5	50	50	50	50	50	50	50	50	50	50
263P20	2.0	50	50	50	50	50	50	50	50	50	50
263P25	2.5	60	60	60	60	60	60	60	60	60	60
263P30	3.0	60	60	60	60	60	60	60	60	60	60
263PZ116	1/16	50	50	50	50	50	50	50	50	50	50
263PZ332	3/32	60	60	60	60	60	60	60	60	60	60
263PZ764	7/64	60	60	60	60	60	60	60	60	60	60
263PZ180	1/8	60	60	60	60	60	60	60	60	60	60

WIHA PICOFINISH® PHILLIPS® SCREWDRIVERS



Part No.	PH000	PH00	PH0	PH1	PH1	PH1
261P000	PH000	PH00	PH0	PH1	PH1	PH1
261P00	PH00	40	40	40	40	40
261P0	PH0	50	50	50	50	50
261P1	PH1	60	60	60	60	60
261P1080	PH1	80	80	80	80	80
261P1150	PH1	150	150	150	150	150

Torx® is a trademark of Acument Intellectual Properties, LLC
Phillips® is a trademark of Phillips® Screw Company

WIHA PICOFINISH® HEX BALLPOINT SCREWDRIVERS



Part No.	Hex Size	Length	Tip Width	Weight
264 P13	1.3	40	0.050	134
264 P15	1.5	50	-	150
264 P20	2.0	50	-	150
264 P25	2.5	60	-	160
264 P30	3.0	60	-	160
264P Z116	1/16	50	-	150
264P Z564	5/64	50	-	150
264P Z332	3/32	50	-	150
264P Z764	7/64	60	-	160
264P Z180	1/8	60	-	160
264P Z964	9/64	60	-	160
264P Z532	5/32	60	-	160

WIHA PICOFINISH® NUTDRIVERS



Part No.	Hex Size	Length	Weight
265 P015	1.5	60	160
265 P018	1.8	60	160
265 P020	2	60	160
265 P025	2.5	60	160
265 P030	3	60	160
265 P032	3.2	60	160
265 P035	3.5	60	160
265 P040	4	60	160
265 P045	4.5	60	160
265 P050	5	60	160
265 P055	5.5	60	160
265 P060	6	60	160
265 P070	7	60	160
265P Z332	3/32	60	160
265P Z764	7/64	60	160
265P Z180	1/8	60	160
265P Z964	9/64	60	160
265P Z532	5/32	60	160
265P Z316	3/16	60	160
265P Z732	7/32	60	160
265P Z140	1/4	60	160

WIHA 6 PIECE PICOFINISH® SLOTTED & PHILLIPS® SET

- Contents:
- 260P 1.5 x 40
 - 2.0 x 40
 - 2.5 x 50
 - 3.0 x 50
 - 261P PH00 x 40
 - PH0 x 50



Part No.	Description
260PK6	6 Piece PicoFinish® Slotted & Phillips® Screwdriver Set

WIHA 6 PIECE PICOFINISH® BALLPOINT HEX SCREWDRIVER SET

- Contents:
- 263P 0.9 x 40
 - 264P 1.3 x 40
 - 1.5 x 50
 - 2.0 x 50
 - 2.5 x 60
 - 3.0 x 60



Part No.	Description
264PK6	6 Piece PicoFinish® Ballpoint Hex Screwdriver Set

WIHA 6 PIECE PICOFINISH® TORX® SCREWDRIVER SET

- Contents:
- 267P T7 x 40
 - T8 x 40
 - T9 x 50
 - T10 x 50
 - T15 x 60
 - T20 x 60



Part No.	Description
267PK6	6 Piece PicoFinish® Torx® Screwdriver Set

WIHA 6 PIECE PICOFINISH® NUTDRIVER SET

- Contents:
- 265P 2.5 x 60
 - 3.0 x 60
 - 3.5 x 60
 - 4 x 60
 - 5 x 60
 - 5.5 x 60



Part No.	Description
265PK6	6 Piece PicoFinish® Nutdriver Set

WIHA 7 PIECE PICOFINISH® SLOTTED & PHILLIPS® SCREWDRIVER SET

- Contents:
- 260 1.5 x 40
 - 2.0 x 40
 - 2.5 x 50
 - 3.0 x 50
 - 261P PH00 x 40
 - PH0 x 50
 - PH1 x 60



Part No.	Description
260PK7	7 Piece PicoFinish® Slotted & Phillips® Screwdriver Set

Screw Extractors & Sets

STAHLWILLE 25 PIECE STUD REMOVER SET 905/25

- in black plastic box
- Contents:
 - M5-M16, 3/16"-5/8"
 - 5 HSS twist drills sizes (3.2; 4.8; 6.4; 8; 8.7 mm)
 - 5 fluted removal pins sizes 1-5 for threads M5-M16
 - 5 splined nuts, sizes 1-5
 - 10 drill guides, sizes 1-10



Part No.	Description	Weight (g)
96713025	25 Piece Stud Remover Set	605

SCREW EXTRACTORS (EZ OUTS)

- Spiral flutes designed to embed themselves deeper
- Made from Carbon Steel



Part No.	Size	For Screw Size
EZ-1	#1	3/32-5/32"
EZ-2	#2	5/32-7/32"
EZ-3	#3	7/32-9/32"
EZ-4	#4	9/32-3/8"
EZ-5	#5	3/8-1/2"
EZ-8967	Set of 5 in Box	

SCREW EXTRACTOR SET MULTISPLINE 25 PIECES

- for extracting sheared screws, bolts and stud screws from threaded holes
- suitable for right-hand and left-hand threads
- in textile bag
- Contents:
 - Sizes: 1/8" to 7/8" in 1/32" Increments (3mm to 22mm in 0.8mm)



Part No.	Description	Weight (g)
EZ8988	25 Piece Screw Extractor Set	248

STAHLWILLE 6 PIECE SCREW EXTRACTOR SET 900/6T

- for left-hand threads
- in textile bag
- Contents: Sizes 1-6



Part No.	Description	Weight (g)
96710101	6 Piece Screw Extractor Set	230

WEDGE-PROOF SCREW EXTRACTORS

- Designed to remove broken fasteners without breaking or jamming
- Made from C4150 alloy steel



Part No.	Size	For Screw Size
EZ8939	1/8"	3/16"
EZ8940	5/32"	1/4"
EZ8941	3/16"	5/16"
EZ8942	7/32"	3/8"
EZ8943	1/4"	7/16"
EZ8944	9/32"	1/2"
EZ8945	5/16"	9/16"
EZ8946	11/32"	5/8"
EZ8947	3/8"	11/16"
EZ8948	13/32"	3/4"
EZ8949	Set of 10 in Box	

Torx® is a trademark of Acument Intellectual Properties, LLC
Phillips® is a trademark of Phillips® Screw Company

PROTO® SCREW EXTRACTORS



- Drive into end of broken pipe or fitting.
- Use tap holder or wrench on extractor to turn out broken part.
- Size stamped on extractor refers to drill bit size to be used with that extractor.



Part No.	U.S.S. (in)	Drill Size (in)	Dia. Min (in)	Dia. Max (in)	OAL (in)	Weight (lbs)
J9521	1/4, 5/16	1/8	1/8	3/16	2-5/16	0.02
J9522	3/8	3/16	11/64	3/16	2-5/8	0.02
J9523	7/16	7/32	13/64	1/4	2-7/8	0.05
J9524	1/2, 9/16	5/16	19/64	5/16	3	0.07
J9525	5/8	3/8	11/32	3/8	3-1/4	0.12
J9500A	Set of 5 in Tool Roll					0.26

STAHLWILLE SCREW EXTRACTORS 900



for left hand threads



Part No.	Size	for	Drive	OAL	Drill	Weight
71010001	1	M3-M4 1/8-5/32"	1/8	49	2 mm 5/64"	3g
71010002	2	M5-M7 3/16-1/4"	9/64	54	3 mm 7/64"	6g
71010003	3	M8 5/16"	3/16	59	5 mm 3/16"	12g
71010004	4	M10-M12 3/8-7/16"	9/32	65	6.4 mm 1/4"	25g
71010005	5	M14-M16 1/2-9/16"	23/64	88	8 mm 5/16"	50g
71010006	6	M18-M22 5/8-3/4"	31/64	95	12 mm 15/32"	103g

STAHLWILLE 5 PIECE SCREW EXTRACTOR SET 901/5T



- for extracting sheared screws, bolts and stud screws from threaded holes
- suitable for right- hand and left-hand threads
- in textile bag
- Contents: Sizes 1-5



Part No.	Description	Weight (g)
96710505	5 Piece Screw Extractor Set	248

"OLD MAN" SCREW KNOCKER REMOVER TOOL

- Standard .401 shank to fit rivet gun for removing stubborn screws
- 3/8" Drive accepts sockets or 1/4 bit adapter available separately



Part No.	Description
RS4809	200mm Screw Knocker
RS4810	100mm Screw Knocker
720138	3/8" Drive - 1/4" Bit Holder

STAHLWILLE SCREW EXTRACTORS 901



- with centre punch tip
- double-edged



Part No.	Size	for	Drive	OAL	Drill	Weight
71050001	1	M5-M6 3/16-1/4"	1/4	60	3.2 mm 1/8"	6g
71050002	2	M8-M10 5/16-3/8"	3/8	67	4.8 mm 3/16"	16g
71050003	3	M10-M12 7/16-1/2"	1/2	75	6.4 mm 1/4"	30g
71050004	4	M12-M16 1/2-9/16"	5/8	90	9.5 mm 3/8"	60g
71050005	5	M16-M20 5/8-3/4"	3/4	90	11.1 mm 7/16"	100g

EL BRUTUS SCREW EXTRACTORS



- Drive into end of broken pipe or fitting.
- Use tap holder or wrench on extractor to turn out broken part.
- Size stamped on extractor refers to drill bit size to be used with that extractor.



Part No.	U.S.S. (in)	Drill Size (in)	Dia. Min (in)	Dia. Max (in)	OAL (in)	Weight (lbs)
BRUT-5	1/4, 5/16	1/8	1/8	3/16	2-5/16	0.02
BRUT-7	3/8	3/16	11/64	3/16	2-5/8	0.02

PROTO® BOLT EXTRACTOR SOCKETS



- Proto® Bolt Extractor Sockets make it easy to remove rusted, rounded, or damaged nuts and bolts.
- The working end has a helical shaped flute to help grip rounded fasteners, round head bolts, and pan head screws.
- Proto® Bolt Extractor Sockets can be used in combination with other drive tools (such as ratchets, adjustable wrenches, sockets, or combination wrenches) to help reach fasteners in difficult locations.
- Through-hole design helps gain access to fasteners at the end of long bolts or studs.
- Can be used on SAE or metric fasteners.
- 3/4" Drive size.



Part No.	Hex Size (in)	Hex Size (mm)	Drive Size (in)	Drive End Outside Diameter (in)	Nut End Outside Diameter (in)	Nut Depth (in)	OAL (in)	Weight (lbs)
J69X09	1/4, 9/32	7	3/4	7/16	11/16	9/16	1-1/16	0.05
J69X10	5/16	8	3/4	31/64	11/16	9/16	1-1/16	0.05
J69X11	11/32	9	3/4	17/32	11/16	33/64	1-1/16	0.06
J69X12	3/8	-	3/4	9/16	11/16	33/64	1-1/16	0.06
J69X13	13/32	10	3/4	19/32	11/16	33/64	1-1/16	0.06
J69X14	7/16	11	3/4	21/32	11/16	33/64	1-1/16	0.07
J69X15	15/32	12	3/4	11/16	3/4	33/64	1-1/16	0.08
J69X16	1/2	13	3/4	3/4	3/4	33/64	1-1/16	0.09
J69X18	9/16	14	3/4	11/16	7/8	33/64	1-1/16	0.09
J69X20	5/8	15, 16	3/4	59/64	15/16	33/64	1-1/16	0.10

PROTO® 10 PIECE 3/4" DRIVE BOLT EXTRACTOR SOCKET SET



- Easy to remove rusted, rounded, or damaged nuts and bolts.
- Working end with helical shaped flute to help grip rounded fasteners, round head bolts, and pan head screws.
- Can be used in combination with other drive tools to help reach fasteners in difficult locations.
- Through-hole design helps gain access to fasteners at the end of long bolts or studs.
- Can be used on SAE or metric fasteners.
- OAL: 1-1/16 inch

Contents:

- 7 mm / 1/4" / 9/32"; 8 mm / 5/16"; 9 mm / 11/32"; 3/8"; 10 mm / 13/32"; 11 mm / 7/16"; 12 mm / 15/32"; 13 mm / 1/2"; 14 mm / 9/16"; 15 mm / 16 mm / 5/8"



Part No.	Description	Weight (lbs)
J69X00	10 Piece Bolt Extractor Socket Set	0.86

PROTO® 13 PIECE 3/8" DRIVE HAND IMPACT DRIVER SET



- Designed to loosen hard to turn bolts and nuts.
- Hand impact driver has heavy-duty spring for added torque.
- Popular interchangeable bits are packaged in plastic blow-molded box for easy storage.

Contents:

- Hand Impact Driver 3/8" DR 5-1/2"
- Philips Insert Bit 1/4 in Hex: #1, #2, #3
- Slotted Insert Bit 1/4 in Hex: 3/16", 9/32"
- Philips Insert Bit 5/16 in Hex: #1, #2, #3
- Slotted Insert Bit 5/16 in Hex: 3/16", 9/32"
- Powerdrive Bit 3/8 in Drive 5/16" Hex
- Powerdrive Bit 3/8 in Drive 1/4" Hex



Part No.	Description	Weight (lbs)
J7099A	13 Piece Hand Impact Driver Set	2.36